



PCR-4X4 & SUV-LTR TIRES



petlas
TRACK OF TRUST



Premium Quality PCR, 4x4 & SUV-LTR Tires

NOTICES & DISCLAIMER

* For load capacity and inflation pressure figures on different speed rates, please consult the producer company.

** Load capacity on standard speed and standard load.

Our company is entitled to change any information in this brochure without prior notice.

This brochure overrides any previous catalogues

All figures are for reference; our company cannot be deemed responsible for printing errors.

*** The visual content of the brochure is only representative. To find the compatible tire for your car, please refer to the car service or authorized dealer.

Passenger Car Tires



PT 311
ELEGANT



PT 515
IMPERIUM



PT 525
PROGREN



PT 535
IMPERIUM
All Weather Tire



PT 711
VELOX SPORT



PT 741
VELOX SPORT



PT 565
MULTI ACTION
All Weather Tire



W601
SNOW MASTER
Winter Tire



W651
SNOW MASTER
Winter Tire



W 661
GLACIER
Winter Tire

4X4, SUV Tires



PT 411
EXPLERO
A/S
All Weather Tire



PT 421
EXPLERO
A/T



PT 431
EXPLERO H/T



SUV MASTER
All Weather Tire



W671
EXPLERO
Winter Tire



W 681
EXPLERO ICE
Winter Tire

LTR Tires



PT 825
FULL POWER



PT 825
FULL POWER
Plus



PT 835
FULL POWER



PT 875
ADVENTE



PT 925
FULL GRIP
All Weather Tire



PT 935
FULL GRIP
Winter Tire



PT 945
FULL GRIP
Winter Tire

TIRE PROFESSION

MAKE YOUR

Choice



petlas.com



ALS!



petlas
TRACK OF TRUST


PT311 ELEGANT



Developed for performance and handling for the general use segment. Offers traction and riding comfort combined with durability.



DESIGNED FOR OPTIMAL DRIVING PERFORMANCE



TYRE SIZE	LOAD/SPEED INDEX
155/80 R12	77T
155/80 R13	79T
165/80 R13	83T
165/80 R13 RF	87R
175/80 R14	88T
165/80 R15	87T
145/70 R12	69T
155/70 R12	73T
165/70 R12	77T
175/70 R12	80T
145/70 R13	71T
155/70 R13	75T
165/70 R13	79T
165/70 R13 RF	83T
175/70 R13	82T
185/70 R13	86T ..
165/70 R14	81T
165/70 R14 RF	85R
175/70 R14	84T

TYRE SIZE	LOAD/SPEED INDEX
175/70 R14 RF	88T
185/70 R14	88T ..
195/70 R14	91T ..
195/70 R15 RF	97T ..
155/65 R13	73T
165/65 R13	77T
175/65 R13	80T
155/65 R14	75T
165/65 R14	79T
175/65 R14	82T
175/65 R14 RF	86T
185/65 R14	86T ..
195/65 R14	89H ..
175/65 R15	84T
185/65 R15	88T ..
195/65 R15	91T ..
195/65 R15 RF	95T ..
165/60 R14	75T

RF : REINFORCED

.. : Sizes with two rib design




PT515 IMPERIUM



Designed and produced with latest technology. It offers good mileage and excellent braking performance in both wet and dry conditions.



DESIGNED FOR EXCEPTIONAL GRIP IN WET AND DRY CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82H
175/70 R14	84H
175/70 R14 RF	88H
185/70 R14	88H
175/65 R14	82H
175/65 R14 RF	86T
185/65 R14	86H
175/65 R15	84H
185/65 R15	88H
185/65 R15 RF	92H
195/65 R15	91H
195/65 R15	91V
195/65 R15 RF	95H
205/65 R15	94H
205/65 R15 RF	99H
205/65 R15	94V
215/65 R15	96V
205/65 R16	95H
215/65 R16	98H
215/65 R16	98V
175/60 R13	77H

TYRE SIZE	LOAD/SPEED INDEX
185/60 R14	82H
195/60 R14	86H
205/60 R14	88V
185/60 R15	84H
185/60 R15 RF	88H
195/60 R15	88H
195/60 R15	88V
205/60 R15	91H
205/60 R15	91V
205/60 R16	92H
205/60 R16	92V
205/60 R16 RF	96V
185/55 R15	82V
205/55 R15	88V
195/55 R16	87V
205/55 R16	91H
205/55 R16	91V
215/55 R16	93V
205/50 R15	86V ^{RP}

RF : REINFORCED

^{RP} : RIM PROTECTOR



PT525 PROGREEN



Designed to be more fuel efficient with high mileage performance. Guarantees safety, durability and low rolling resistance.




ECO-FRIENDLY TIRE DESIGNED FOR ULTIMATE TRACTION AND HANDLING



EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE	LOAD/SPEED INDEX
175/70 R14	84T
175/70 R14 RF	88T
185/70 R14	88T
175/65 R14	82T
185/65 R14	86T
185/65 R15	88T
185/65 R15	88H
195/65 R15	91H
195/65 R15 RF	95T
195/65 R15	91V
205/65 R15	94H
185/60 R14	82H
185/60 R15	84H

TYRE SIZE	LOAD/SPEED INDEX
185/60 R15 RF	88H
195/60 R15	88H
205/60 R16	92H
205/60 R16 RF	96V
215/60 R16	95V
185/55 R14	80H (RP)
185/55 R15	82V (RP)
195/55 R15	85H (RP)
195/55 R16	87H (RP)
205/55 R16	91H (RP)
195/50 R15	82H (RP)
195/50 R16 RF	88V (RP)

RF: REINFORCED

(RP): RIM PROTECTOR



PT535 IMPERIUM


All Weather Tire



Provides high performance on wet and dry conditions. Offers outstanding driving comfort without compromising high mileage.



MAXIMUM MILEAGE PERFORMANCE



TYRE SIZE	LOAD/SPEED INDEX
175/70 R14	84H (RP)
175/65 R14	82H (RP)
185/65 R14	86H
185/65 R15	88H
185/65 R15 RF	92H
195/65 R15	91H (RP)
195/65 R15 RF	95H (RP)
185/60 R15	84H (RP)
185/60 R15 RF	88H (RP)
195/60 R15	88H (RP)
195/55 R16	87H (RP)
205/55 R16	91H (RP)
195/50 R16	84H (RP)

RF : REINFORCED

(RP) : RIM PROTECTOR



PT711 VELOX SPORT



Designed and developed for ultra-high performance sport cars. Its aggressive pattern design and construction increase handling performance on both wet and dry roads.




FEEL THE TORQUE WITH STYLISH
PATTERN DESIGN



EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE

185/60 R13

LOAD/SPEED
INDEX

80H ^(RP)

^(RP) : RIM PROTECTOR




PT741 VELOX SPORT



Produced for drivers who desire ultimate handling and grip performance without compromising comfort while driving at high speeds.



DESIGNED FOR OUTSTANDING HANDLING AND GRIP PERFORMANCE



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
215/60 R16 RF	99V	195/45 R16 RF	84V ^(RP)
225/60 R16	98V	205/45 ZR16 RF	87W ^(RP)
235/60 ZR16	100W	215/45 R16 RF	90V ^(RP)
195/55 R15	85V ^(RP)	205/45 ZR17 RF	88W ^(RP)
185/55 R16 RF	87H ^(RP)	215/45 ZR17 RF	91W ^(RP)
195/55 R16	87V ^(RP)	225/45 ZR17 RF	94W ^(RP)
195/55 R16 RFT	87V ^(RP)	225/45 ZR17 RFT	91W ^(RP)
205/55 R16 RFT	91V ^(RP)	235/45 ZR17 RF	97W ^(RP)
205/55 ZR16 RF	94W ^(RP)	245/45 ZR17 RF	99W ^(RP)
215/55 ZR16 RF	97W ^(RP)	215/45 ZR18 RF	93W ^(RP)
225/55 ZR16 RF	99W ^(RP)	225/45 ZR18 RF	95W ^(RP)
205/55 ZR17 RF	95W ^(RP)	225/45 ZR18 RFT	91W ^(RP)
215/55 ZR17 RF	98W ^(RP)	235/45 ZR18 RF	98W ^(RP)
225/55 ZR17 RF	101W ^(RP)	245/45 ZR18 RF	100W ^(RP)
225/55 ZR17 RFT	97W ^(RP)	245/45 ZR18 RFT	96W ^(RP)
235/55 ZR17 RF	103W ^(RP)	255/45 ZR18 RF	103W ^(RP) ..
235/55 ZR18 RF	104W ^(RP)	275/45 ZR18 RF	107W ^(RP) ..
195/50 R15	82V ^(RP)	225/45 ZR19 RF	96W ^(RP)
195/50 R16	84V ^(RP)	235/45 ZR19 RF	99W ^(RP)
205/50 ZR16 RF	91W ^(RP)	245/45 ZR19 RF	102W ^(RP)
225/50 ZR16 RF	96W ^(RP)	245/45 ZR19 RFT	98W ^(RP)
205/50 ZR17 RF	93W ^(RP)	255/45 ZR19 RF	104Y ^(RP) ..
205/50 ZR17 RFT	89W ^(RP)	205/40 ZR16 RF	83W ^(RP)
215/50 ZR17 RF	95W ^(RP)	215/40 ZR16 RF	86W ^(RP)
225/50 ZR17 RF	98W ^(RP)	205/40 ZR17 RF	84W ^(RP)
225/50 ZR17 RFT	94W ^(RP)	215/40 ZR17 RF	87W ^(RP)
235/50 ZR18 RF	101W ^(RP)	235/40 ZR17 RF	94W ^(RP)
245/50 ZR18	100W ^(RP)	245/40 ZR17 RF	95W ^(RP)
245/50 R18 RFT	100W ^(RP)	215/40 ZR18 RF	89W ^(RP)

PT741 VELOX SPORT



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
215/40 R18 RFT	85Y	235/35 ZR19 RF	91W ^(RP)
225/40 ZR18 RF	92Y ^(RP)	245/35 ZR19 RF	93W ^(RP)
225/40 R18 RF- RFT	92Y ^(RP)	245/35 R19 RF- RFT	93Y ^(RP)
235/40 ZR18 RF	95W ^(RP)	255/35 ZR19 RFT	92W ^(RP) ..
245/40 ZR18 RF	97W ^(RP)	255/35 ZR19 RF	96W ^(RP) ..
245/40 ZR18 RFT	93W ^(RP)	265/35 ZR19 RF	98W ^(RP) ..
255/40 ZR18	95W ^(RP) ..	275/35 ZR19 RF	100W ^(RP) ..
255/40 R18 RFT	95Y ..	275/35 R19 RFT	96W ^(RP) ..
265/40 ZR18 RF	101Y ^(RP) ..	285/35 ZR19	99Y ^(RP) ..
275/40 ZR18 RF	103Y ^(RP) ..	285/35 R19 RFT	99Y ^(RP) ..
275/40 R18 RFT	99Y ..	295/35 ZR19 RF	104W ^(RP) ..
225/40 ZR19 RF	93W ^(RP)	225/35 ZR20 RF	90Y ^(RP)
225/40 R19 RF- RFT	93Y ^(RP)	225/35 R20 RF- RFT	90Y
235/40 ZR19 RF	96Y ^(RP)	245/35 ZR20 RF	95W ^(RP)
245/40 ZR19 RF	98W ^(RP)	245/35 R20 RF- RFT	95Y
245/40 ZR19 RFT	94W ^(RP)	255/35 ZR20 RF	97W ^(RP) ..
255/40 ZR19 RF	100W ^(RP) ..	265/35 ZR20 RF	99W ^(RP) ..
265/40 ZR19 RF	102W ^(RP) ..	275/35 ZR20 RF	102Y ^(RP) ..
275/40 ZR19 RF	105Y ^(RP) ..	275/35 R20 RF- RFT	102Y ^(RP) ..
275/40 R19 RFT	101Y ^(RP) ..	295/35 ZR20 RF	105W ^(RP) ..
285/40 ZR19 RF	107W ^(RP) ..	245/30 ZR19 RF	89W ^(RP)
245/40 ZR20 RF	99W ^(RP)	255/30 ZR19 RF	91W ^(RP) ..
245/40 R20 RF- RFT	99Y	255/30 R19 RF- RFT	91Y ..
255/40 ZR20 RF	101W ^(RP) ..	265/30 ZR19 RF	93W ^(RP) ..
245/35 ZR17	87W ^(RP)	275/30 ZR19 RF	96W ^(RP) ..
215/35 ZR18 RF	84W ^(RP)	275/30 R19 RF- RFT	96W ..
225/35 ZR18 RF	87W ^(RP)	285/30 ZR19 RF	98W ^(RP) ..
245/35 ZR18 RF	92W ^(RP)	295/30 ZR19 RF	100W ^(RP) ..
245/35 R18 RFT	88Y	305/30 ZR19 RF	102W ^(RP) ..
255/35 ZR18 RF	94Y ^(RP) ..	245/30 ZR20 RF	90Y ^(RP)
255/35 R18 RFT	90Y ^(RP) ..	255/30 ZR20 RF	92Y ^(RP) ..
265/35 ZR18 RF	97W ^(RP) ..	255/30 R20 RF- RFT	92Y ..
275/35 ZR18 RF	99W ^(RP) ..	265/30 ZR20 RF	94Y ^(RP) ..
275/35 R18 RFT	95Y ^(RP) ..	275/30 ZR20 RF	97W ^(RP) ..
285/35 ZR18 RF	101W ^(RP) ..	275/30 R20 RF- RFT	97Y ..
285/35 R18 RFT	97Y ^(RP) ..	285/30 ZR20 RF	99W ^(RP) ..
295/35 ZR18	99Y ^(RP) ..	295/30 ZR20 RF	101W ^(RP) ..
215/35 ZR19 RF	85W ^(RP)	305/30 ZR20 RF	103W ^(RP) ..
225/35 ZR19 RF	88W ^(RP)		
225/35 R19 RF- RFT	88Y		

RF : REINFORCED

RFT : RUN FLAT^(RP) : RIM PROTECTOR

.. : Sizes with two rib design



PASSENGER CAR TIRES

PT565 MULTI ACTION


All Weather Tire



Designed for all weather and road conditions to be used year round in all seasons. It is developed to provide balanced performance on dry, wet and snow. 3PMSF symbol on sidewall is approved for use on snow.



ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
155/70 R13	75T
165/70 R13	79T
175/70 R13	82T
175/70 R14	84T
175/65 R14	82T
185/65 R14	86T
175/65 R15	84H
185/65 R15	88T
185/65 R15	88H
195/65 R15	91H ^(RP)
195/65 R15 RF	95H
205/65 R15	94H
215/65 R16 RF	102V
185/60 R14	82H
185/60 R15 RF	88H
195/60 R15	88H
205/60 R16	92V
215/60 R16 RF	99V
185/55 R14	80H
185/55 R15 RF	86H
195/55 R15	85H
195/55 R16	87H
205/55 R16	91H
205/55 R16	91V
205/55 R16 RF	94V
215/55 R16 RF	97V
225/55 R16 RF	99W ^(RP)
205/55 R17 RF	95W
215/55 R17 RF	98W

TYRE SIZE	LOAD/SPEED INDEX
225/55 R17 RF	101W ^(RP)
235/55 ZR17 RF	103W ^(RP)
195/55 R20 RF	95H
195/50 R15	82V ^(RP)
195/50 R16 RF	88V ^(RP)
205/50 R17 RF	93W ^(RP)
215/50 R17 RF	95W ^(RP)
225/50 R17 RF	98V ^(RP)
195/45 R16 RF	84V ^(RP)
215/45 R16 RF	90V ^(RP)
205/45 R17 RF	88W ^(RP)
215/45 ZR17 RF	91W ^(RP)
225/45 R17 RF	94W ^(RP)
235/45 R17 RF	97W ^(RP)
245/45 R17 RF	99Y ^(RP)
225/45 R18 RF	95W ^(RP)
225/45 ZR18 RF	95Y ^(RP)
235/45 R18 RF	98W ^(RP)
245/45 R18 RF	100W ^(RP)
225/45 R19 RF	96W ^(RP)
245/40 ZR17 RF	95Y ^(RP)
225/40 R18 RF	92W ^(RP)
235/40 ZR18 RF	95Y ^(RP)
245/40 R18 RF	97Y
235/40 ZR19 RF	96Y ^(RP)
235/35 ZR19 RF	91Y ^(RP)
245/35 R19 RF	93Y ^(RP)
255/35 ZR19 RF	96Y ^(RP)

RF : REINFORCED
^(RP) : RIM PROTECTOR

petlas

W601 SNOW MASTER




Winter Tire

High performance winter tire enabling high traction capability on icy roads thanks to its tread pattern. Cornering and handling will no longer be a problem on slippery roads.



GRIP THE ROAD SAFELY



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
155/80 R13	79T	185/70 R14	88T ..
165/80 R13	83T	195/70 R14	91T ..
175/80 R14	88T	195/70 R15 RF	97T ..
145/70 R13	71T	155/65 R13	73T
155/70 R13	75T	165/65 R13	77T
165/70 R13	79T	175/65 R13	80T
165/70 R13 RF	83T	155/65 R14	75T
175/70 R13	82T	165/65 R14	79T
185/70 R13	86T ..	175/65 R14	82T
165/70 R14	81T	175/65 R14 RF	86T
165/70 R14 RF	85R	185/65 R14	86T ..
175/70 R14	84T	175/65 R15	84T
175/70 R14 RF	88T	165/60 R14	75T

RF : REINFORCED

.. : Sizes with two rib design



PASSENGER CAR TIRES

W651 SNOW MASTER




Winter Tire

The ideal winter tire for passenger cars which maximizes your vehicle performance on snowy and icy roads. Offers shorter braking distance and reliable handling.



ULTIMATE GRIP AND BRAKE PERFORMANCE IN HARSH WINTER CONDITIONS



TYRE SIZE LOAD/SPEED INDEX

185/65 R15	88H
185/65 R15 RF	92H
195/65 R15	91H
195/65 R15 RF	95H
205/65 R15	94H
215/65 R15	96H
205/65 R16	95H
215/65 R16	98H
215/65 R16 RF	102T
185/60 R14	82H
185/60 R15	84H
195/60 R15	88H
205/60 R15	91H
205/60 R16	92H
215/60 R16	95H
225/60 R16	98H
235/60 R16	100H
185/55 R14	80H
185/55 R15	82H
195/55 R15	85H
205/55 R15 RF	92V
185/55 R16 RF	87H ^(RP)
195/55 R16	87H
205/55 R16	91H
205/55 R16 RFT	91H ^(RP)
215/55 R16	93H
225/55 R16	95H
205/55 R17	91H ^(RP)
215/55 R17 RF	98V
225/55 R17	97H
225/55 R17 RF	101V
225/55 R17 RFT	97V
235/55 R17 RF	103V ^(RP)

TYRE SIZE

LOAD/SPEED INDEX

195/50 R15	82H ^(RP)
205/50 R15	86H ^(RP)
195/50 R16	84H ^(RP)
205/50 R16 RF	91H ^(RP)
225/50 R16 RF	96V ^(RP)
205/50 R17 RF	93V ^(RP)
215/50 R17	91H ^(RP)
225/50 R17 RF	98V ^(RP)
215/50 R18	92V ^(RP)
245/50 R18 RF	104V ^(RP)
235/50 R19 RF	103V ^(RP)
195/45 R16 RF	84H ^(RP)
205/45 R16 RF	87H ^(RP)
215/45 R16 RF	90V ^(RP)
205/45 R17 RF	88H ^(RP)
215/45 R17 RF	91V ^(RP)
225/45 R17 RF	94V ^(RP)
235/45 R17 RF	97V ^(RP)
245/45 R17 RF	99V ^(RP)
215/45 R18 RF	93V ^(RP)
225/45 R18 RF	95V ^(RP)
235/45 R18 RF	98V ^(RP)
245/45 R18 RF	100V ^(RP)
245/45 R18 RF-RFT	100V
245/45 R19 RF	102V ^(RP)
245/40 R17 RF	95V ^(RP)
225/40 R18 RF	92V ^(RP)
235/40 R18 RF	95V ^(RP)
245/40 R18 RF	97V ^(RP)
245/40 R19 RF	98V ^(RP)
255/40 R19 RF	100V ^(RP)

RF : REINFORCED
RFT : RUN FLAT
^(RP) : RIM PROTECTOR

petlas

W661 GLACIER


Winter Tire



Glacier W661 is specifically developed to help drivers keep moving in the harshest winter conditions where the roads are covered with snow and ice. Ensures ultimate safety by providing precise handling and short braking distance on snowy and icy roads. Optimized profile keeps contact with the ground at even the most extreme conditions. The superior performance of W661 is proven on relentless tests in the challenging weather and road conditions of Finland.



MORE THAN MEETS THE ICE



TYRE SIZE	LOAD/SPEED INDEX
175/70 R13	82T
175/65 R14	82T
185/65 R14	86T
185/65 R15	88T
195/65 R15	91T
205/65 R15	94T
185/60 R15 RF	88T
195/60 R15	88T
205/60 R16	92T

TYRE SIZE	LOAD/SPEED INDEX
205/60 R16 RF	96T
195/55 R16	87T
205/55 R16	91T
215/55 R16 RF	97T
215/55 R17 RF	98T
225/55 R17 RF	101T
215/50 R17 RF	95T
225/50 R17 RF	98T
225/45 R17 RF	94T

RF: REINFORCED



4X4, SUV TIRES

PT411 EXPLERO A/S


All Weather Tire



High performance 4x4-SUV tire offering reliable performance throughout the year. Shows great traction performance on any kind of road with its special compound mixture. Offers superb comfort by reducing the levels of noise and vibration.



OUTSTANDING DRIVING PERFORMANCE IN ALL WEATHER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX
235/75 R15	105H
205/70 R15	96H
215/70 R15	98H
215/70 R16	100H
225/70 R16 RF	107T
235/70 R16	106H
245/70 R16	107H
255/70 R16	111T
265/70 R16	112T
215/65 R16	98H
215/65 R16 RF	102H

TYRE SIZE	LOAD/SPEED INDEX
255/65 R16	109H
215/65 R17	99H
225/65 R17	102H
235/65 R17 RF	108H
245/65 R17 RF	111H
255/65 R17	110H
265/65 R17	112H
215/60 R16	95H
235/60 R16	100H
225/60 R17 RF	103H
255/60 R18 RF	112V

RF: REINFORCED



petlas

PT421 EXPLERO A/T M+S SUMMER



Produced to meet the demands of high performance SUV and 4x4 vehicles. Reliable and long lasting all terrain tire thanks to its special compound. Special tread design improves braking performance and reduces irregular wear.




ALL TERRAIN PATTERN WITH UNIQUE TRACTION CAPABILITY



EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE	LOAD/SPEED INDEX
205/80 R16 RF	104T RP
215/80 R15	102S RP
235/75 R15	105T RP
255/70 R15	108T RP
265/70 R15 RF	116T RP
235/70 R16	106T RP

TYRE SIZE	LOAD/SPEED INDEX
245/70 R16 RF	111T RP
215/65 R16	98T RP
265/65 R17 RF	116S RP
255/60 R18 RF	112H RP
265/60 R18 RF	114T RP

RF : REINFORCED
RP : RIM PROTECTOR




PT431 EXPLERO H/T



Summer tire developed for luxury SUVs. It combines quality and high performance with its specially developed tread design and compound. Block array maximizes grip performance in every driving condition. Offers short braking distance on wet roads.



DESIGNED FOR ULTIMATE DRIVING COMFORT



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
225/65 R17	102H	235/55 R19 RF	105V
235/65 R17 RF	108V	245/55 R19	103H
215/60 R17	96V	255/55 R19 RF	111V ..
235/60 R17	102V	275/55 R19	111V ..
255/60 R17	106V ..	255/55 ZR20 RF	110Y ..
225/60 R18	100H	235/50 R18 RF	101V
235/60 R18 RF	107V	235/50 ZR19 RF	103W
245/60 R18	105H	255/50 R19 RF	107V ..
255/60 R18 RF	112V ..	255/50 ZR19 RF-RFT	107W ..
265/60 R18	110H ..	265/50 ZR19 RF	110W ..
265/60 R18	110V ..	255/50 ZR20 RF	109Y ..
225/55 R17	97V	275/45 ZR19 RF	108W ..
235/55 R17 RF	103V	285/45 R19	107V ..
215/55 R18	95H	255/45 ZR20 RF	105Y ..
225/55 R18	98V	275/45 ZR20 RF	110W ..
235/55 R18	100V	285/45 ZR20 RF	112Y ..
255/55 R18 RF	109V ..	275/40 ZR20	102W ..
225/55 R19	99H	275/40 R20 RF-RFT	106Y ..

RF : REINFORCED

RFT : RUN FLAT

.. : Sizes with two rib design



SUVMASTER A/S



All Weather Tire

All weather tire for a wide range of weather and road conditions. The V-shaped channels offer effective discharge of water, mud and snow. Delivers excellent driving and cornering capabilities and assures safety on both ice and snow thanks to its unique pattern design and special compound. 3PMSF and M+S markings on the tire prove better grip and braking on snowy roads.




ULTIMATE PERFORMANCE ON ALL WEATHER CONDITIONS



EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE LOAD/SPEED INDEX

215/65 R17 RF	103V (RP)
235/65 R17 RF	108W (RP)
225/60 R18 RF	104W (RP)
215/60 R17 RF	100V (RP)
235/60 R18 RF	107W (RP)
255/55 R18 RF	109W (RP)
235/55 R18 RF	104V (RP)
235/55 R19 RF	105W (RP)
215/55 R18 RF	99V (RP)
225/55 R18 RF	102V (RP)
215/50 R18	92W (RP)
235/50 R18 RF	101W (RP)
245/45 R19 RF	102W (RP)
235/45 R19 RF	99W (RP)

RF: REINFORCED

(RP): RIM PROTECTOR



4X4, SUV TIRES

W671 EXPLERO


Winter Tire



Designed for high traction and grip performance on snowy and icy roads. Provides stability on dry roads with special compound. Unique pattern design enables ultimate handling and cornering performance. Reduces stopping distance on slippery roads.



CONFIDENT TRACTION AND BRAKE PERFORMANCE ON SEVERE WINTER CONDITIONS



TYRE SIZE	LOAD/SPEED INDEX	TYRE SIZE	LOAD/SPEED INDEX
215/80 R15	102S	265/60 R18 RF	114H
205/80 R16 RF	104T	235/55 R17 RF	103V
235/75 R15 RF	109T	215/55 R18	95H
205/70 R15	96T	225/55 R18 RF	102H
215/70 R15	98H	235/55 R18 RF	104H
215/70 R16 RF	104H	255/55 R18 RF	109V
225/70 R16 RF	107H	205/55 R19 RF	97H
235/70 R16	106T	225/55 R19	99H
245/70 R16 RF	111T	235/55 R19 RF	105V
255/70 R16	111T	245/55 R19	103H
265/70 R16	112T	255/55 R19 RF	111V
215/65 R17	99H	275/55 R19	111H ..
225/65 R17 RF	106H	235/50 R18 RF	101V
235/65 R17 RF	108V	235/50 R19 RF	103V
245/65 R17 RF	111H	255/50 R19 RF- RFT	107V
255/65 R17 RF	114H	255/50 R19 RF	107V
265/65 R17 RF	116H	245/50 R20	102V
215/60 R17 RF	100H	265/50 R20 RF	111H
225/60 R17 RF	103V	225/45 R19 RF	96V
235/60 R17 RF	106H	285/45 R19 RF	111H ..
255/60 R17 RF	110V	275/45 R20 RF	110V ..
225/60 R18 RF	104V	275/40 R20 RF	106V ..
235/60 R18 RF	107H	315/35 R20 RF	110V ..
245/60 R18 RF	105H		
255/60 R18 RF	112H		

RF : REINFORCED

RFT : RUN FLAT

: RIM PROTECTOR

.. : Sizes with two rib design



petlas

W681 EXPLERO ICE




Winter Tire

W681 Explero Ice is specifically developed to endure the most extreme road and weather conditions. Guarantees perfection in safety by providing precise handling and short braking distance even when the road is blanketed with snow or ice. Optimized tread profile and carefully engineered compound mixture ensures continuous contact with the ground at even the most extreme climates. The outstanding performance is affirmed on relentless testing conditions of Finland.



EXTREME PERFORMANCE FOR EXTREME CHALLENGES



TYRE SIZE	LOAD/SPEED INDEX
245/70 R16 RF	111T
215/65 R16 RF	102T
215/60 R17 RF	100T

RF : REINFORCED




PT825 FULL POWER



Designed for commercial light trucks, transporters and vans. Deep treads and straight ribs provide excellent handling in any kind of weather condition. Enhances cornering safety and thanks to its wear resistant special compound, offers durability.



DESIGNED TO DELIVER OPTIMAL PERFORMANCE AND DURABILITY



TYRE SIZE	PR	LOAD/SPEED INDEX
195 R15 C	8PR	106/104R



PT825 FULL POWER Plus



Radial summer tire designed with high technology. Offers high grip performance and wear resistance thanks to its special tread compound.




OUTSTANDING GRIP PERFORMANCE IN WET AND DRY CONDITIONS



EU LABEL

Average values from all sizes of this specific model.



TYRE SIZE	PR	LOAD/SPEED INDEX
5.00 R12C	8PR	83/81P
155 R12 C	8PR	88/86N
155 R13 C	8PR	90/89R
185 R14 C	8PR	102/100R
195 R14 C	8PR	106/104R
205 R14 C	8PR	109/107P
215 R14 C	8PR	112/110P
185 R15 C	8PR	103/102R
175/75 R16 C	8PR	101/99R
185/75 R16 C	8PR	104/102R
195/75 R16 C	8PR	107/105R
205/75 R16 C	8PR	110/108R
205/75 R16 C	10PR	113/111R
215/75 R16 C	8PR	113/111R

TYRE SIZE	PR	LOAD/SPEED INDEX
215/75 R16 C	10PR	116/114R
225/75 R16 C	8PR	118/116R
165/70 R14 C	6PR	89/87R
195/70 R15 C	8PR	104/102R
205/70 R15 C	8PR	106/104R
215/70 R15 C	8PR	109/107S
225/70 R15 C	8PR	112/110R
225/70 R15 C	10PR	116/114R
205/65 R15 C	8PR	102/100T
205/65 R16 C	8PR	107/105T
215/65 R16 C	8PR	109/107R
225/65 R16 C	8PR	112/110R
235/65 R16 C	8PR	115/113R




PT835 FULL POWER



Safe handling in all kind of situations, even under heavy loads. Wide contact area increases stability and enhances driving performance. Offers excellent mileage, rolling resistance and safety in wet roads.



LONG LASTING PERFORMANCE, WITH ULTIMATE WET GRIP AND HANDLING CAPABILITY



TYRE SIZE	PR	LOAD/SPEED INDEX
205/75 R16 C	8PR	110/108R
215/75 R16 C	8PR	113/111R
215/75 R16 C	10PR	116/114R
225/70 R15 C	8PR	112/110R
215/65 R15 C	6PR	104/102T
195/65 R16 C	8PR	104/102T
205/65 R16 C	8PR	107/105T
215/65 R16 C	8PR	109/107R
235/65 R16 C	8PR	115/113R
235/65 R16 C	12PR	121/119R
285/65 R16 C	10PR	128N ..
195/60 R16 C	6PR	99/97T

.. : Sizes with two rib design




PT875 ADVENTE



Interlocking tread blocks offer durability. Demonstrates high performance on dry roads. Provides high resistance against wear with special shoulder structure. Multi-angle sipes offer all-season traction on every kinds of road.



MAXIMUM PERFORMANCE IN DIFFERENT WEATHER CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX
155 R12 C	8PR	88/86N
155 R13 C	8PR	90/89R
185 R14 C	8PR	102/100R
195 R14 C	8PR	106/104R
185/75 R16 C	8PR	104/102R
195/75 R16 C	8PR	107/105R
205/75 R16 C	8PR	110/108R
215/75 R16 C	8PR	113/111R
225/75 R16 C	8PR	118/116R

TYRE SIZE	PR	LOAD/SPEED INDEX
195/70 R15 C	8PR	104/102R
205/70 R15 C	8PR	106/104R
215/70 R15 C	8PR	109/107R
225/70 R15 C	8PR	112/110R
205/65 R15 C	8PR	102/100T
205/65 R16 C	8PR	107/105T
215/65 R16 C	8PR	109/107R
225/65 R16 C	8PR	112/110R
235/65 R16 C	8PR	115/113R



PT925 FULL GRIP


All Weather Tire



Designed for all weather performance. Offers excellent traction in difficult conditions thanks to its V shaped special tread pattern design.



EXCELLENT GRIP CAPABILITY WITH LONG LASTING PERFORMANCE



TYRE SIZE	PR	LOAD/SPEED INDEX
155 R12 C	8PR	88/86N
155 R13 C	8PR	90/89N
185 R14 C	8PR	102/100R
195 R14 C	8PR	106/104R
175/75 R16 C	8PR	101/99R
185/75 R16 C	8PR	104/102R
195/75 R16 C	8PR	107/105R
205/75 R16 C	8PR	110/108R
215/75 R16 C	8PR	113/111R
225/75 R16 C	8PR	118/116R

TYRE SIZE	PR	LOAD/SPEED INDEX
195/70 R15 C	8PR	104/102R
205/70 R15 C	8PR	106/104R
215/70 R15 C	8PR	109/107R
225/70 R15 C	8PR	112/110R
205/65 R15 C	8PR	102/100T
205/65 R16 C	8PR	107/105T
215/65 R16 C	8PR	109/107R
225/65 R16 C	8PR	112/110R
235/65 R16 C	8PR	115/113R
195/60 R16 C	6PR	99/97T



PT935 FULL GRIP


Winter Tire



Unique tread design with wavy sipes enables high grip performance on icy roads. Offers safety and durability.



EXCEPTIONAL TRACTION AND BRAKE PERFORMANCE IN HARSH WINTER CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX
155 R12 C	8PR	88/86N
155 R13 C	8PR	90/89N
185 R14 C	8PR	102/100R
195 R14 C	8PR	106/104R
185/75 R16 C	8PR	104/102R
195/75 R16 C	8PR	107/105R
205/75 R16 C	10PR	113/111R
215/75 R16 C	10PR	116/114R
225/75 R16 C	8PR	118/116R
195/70 R15 C	8PR	104/102R
205/70 R15 C	8PR	106/104R

TYRE SIZE	PR	LOAD/SPEED INDEX
215/70 R15 C	8PR	109/107R
225/70 R15 C	8PR	112/110R
215/65 R15 C	6PR	104/102T
195/65 R16 C	8PR	104/102T
205/65 R16 C	8PR	107/105T
215/65 R16 C	8PR	109/107R
225/65 R16 C	8PR	112/110R
235/65 R16 C	8PR	115/113R
235/65 R16 C	12PR	121/119R
285/65 R16 C	10PR	128N ..
195/60 R16 C	6PR	99/97T

.. : Sizes with two rib design



PT945 FULL GRIP




Winter Tire

Unique pattern design with multidirectional wavy sipes and tread compound delivers exceptional performance in winter conditions and on wet roads. 3PMSF and M+S markings on that tire prove better grip and braking on snowy roads. Three circumferential grooves offer effective discharge of water and reduce the risk of aquaplaning.



DESIGNED FOR ULTIMATE PERFORMANCE IN
MILD-WINTER CONDITIONS



TYRE SIZE	PR	LOAD/SPEED INDEX
215/75 R16	10PR	116/144R
235/65 R 16	12PR	121/119R



petlas

NOTES

Petlas PCR - 4x4 & SUV-LTR Tires are characterized by quality workmanship, leading edge technology, unique tread designs and excellent performance offering perfect mix of quality and value.

Our success depends on exceeding the expectations of our customers and standing behind everything we do.

Our aim is to build long term relationships with our customers by providing excellent service, quality and delivering promises.



2022 EDITION



petlas

Headquarters - Factory

Petlas Tire Industry and Trade
Kindam Mahallesi Ankara - Kayseri Caddesi
No: 2/1 Kırşehir / TÜRKİYE
T: +90 386 252 65 50 • F: +90 386 252 65 70

Int. Sales & Marketing

Petlas Tire Industry and Trade Ako Kule
Söğütözü Mh. 2178. Cd. No: 6
06530 Ankara / TÜRKİYE
T. +90 312 309 30 30 • F: +90 312 309 22 66

Petlas Tire USA

1111 E. Lincolnway STE 205
Cheyenne, WY 82001 USA

www.petlas.com
Made in TÜRKİYE